

Small & Intermediate Wind Opportunities and Issues in New England

October 25, 2001

J. F. Manwell, Ph. D.

Director, Renewable Energy Research Laboratory

Dept. of Mechanical and Industrial Engineering

Univ. of Mass., Amherst, MA



Defining Characteristics of Small & Intermediate Wind

- Consumer owned and operated
- Not for bulk power
- Applications:
 - Grid connected, "behind the meter"
 - Wind/diesel "hybrid" power system
 - Stand alone



Potential Locations


- Rural uplands
- Coasts
- Islands




New England Islands

• More than 3,000 islands:

- from Martha's Vineyard (70,000 acres) to
 Little Brewster Island (2 acres)
- > 200 islands with energyconsuming activities:
 - from entire communities to unmanned lighthouses
- Plentiful wind resource:
 - 6.5 m/s off Connecticut to 8.5 m/s off
 Maine







New England Islands Classification

• Connected to mainland (15%)

- Year round communities (e.g., North Haven, ME).
- Summer only activities (e.g., Cross Island, MA)


• Isolated from mainland (85%)

- Year round communities (e.g., Monhegan, ME).
- Summer-only activities (e.g., Great Diamond, ME).
- No population, but energy requirement (e.g., Matinicus Rock, ME).
- Ecological preserves (e.g., Machias Seal Island, ME).



Grid Connected Wind Systems


- Wide range of turbine sizes
 - $-\sim 1 \text{ kW to} \sim 750 \text{ kW}$
- Typical applications
 - Residential
 - Farms
 - Municipal utilities
 - Commercial/Industrial/ Public
 - Brown fields





Wind/Diesel Systems


- Larger islands
- No cable to mainland
- System:
 - Wind turbine(s)
 - Diesel generator(s)
 - Control system
 - Storage?
 - Heaters?





Stand Alone Systems

- Small turbines, 200 W to ~15 kW
- Normally includes storage (batteries)
- Typical system:
 - Turbine
 - Battery
 - Simple controls
 - Pump?





Issues: Attractions

- Perception of environmental/public benefit
- Economics
 - Cost of energy should be attractive
 - Absolute cost important
- Energy independence



Issues: Concerns

- "Hassle factor"
 - Maintenance (tower climbing, etc.)
- Reliability
- Noise
- Aesthetics
- Neighbors
- Interconnection/backup power



Issues: Obstacles

- Zoning
 - Height restrictions
 - Setbacks
- Permitting
 - Building permits
 - Conservation commission approval
 - Noise measurements
- Need for professional engineer's (P.E.) stamp



Alternatives (1)

- Grid connected
 - Status quo
- Wind/diesel
 - Cable
 - Status quo



Alternatives (2): Small Islands/Remote

- Electricity
 - Gasoline generators
 - Photovoltaic panels
- LP gas
 - Refrigerators
 - Hot Water
- Wood
 - Space heat
 - Hot tubs



Observations/Recommendations (1)

- Economics
 - Net metering
 - Should help small, grid connected systems
 - Could be improved & expanded
 - Renewable Portfolio Standard (RPS)
 - Should help larger systems
 - Feed in tariff (c.f. Germany) worth considering
- Uniform standards for installation
 - California has model



Observations/Recommendations (2)

- Realistic noise regulations
 - Uniform standards
 - Protection for neighbors
 - Fairness for would-be turbine users
 - Encouragement to manufacturers for quieter turbines
 - Requirement for turbine noise information
 - From independent source
 - At all wind speeds of interest



Suggestions for Manufacturers

- Appealing design
 - Quiet
 - Handsome
 - Easy to install and maintain
- For remote sites:
 - Complete systems
 - Refrigeration
 - Heating
 - User friendly



Conclusions

- Opportunities exist for small & intermediate turbines
- To facilitate more applications
 - Coherent permitting
 - Improved perceptions
 - User friendly systems
 - Simple incentives